

LPL - LPL-ROHINI (NATIONAL REFERENCE
LAB)
SECTOR - 18, BLOCK -E ROHINI
DELHI 110085

Name	: Mr. DUMMY H042	Collected	: 16/1/2017 12:00:00AM
Lab No.	: 131268888	Age: 25 Years	Gender: Male
A/c Status	: P	Ref By : SELF	Report Status : Final
		Received	: 16/1/2017 1:53:35PM
		Reported	: 16/1/2017 4:56:02PM

Test Name	Results	Units	Bio. Ref. Interval
SICKLING, SCREENING TEST (Deoxygenation)	Negative		

Note

1. Test conducted on EDTA whole blood
2. All results must be confirmed by Hemoglobin electrophoresis / HPLC
3. False positivity is seen in cases of severe leukocytosis, hyperproteinemia and presence of unstable hemoglobin
4. False negativity is seen in cases of low hemoglobin, infants < 6 months of age & if Hemoglobin S (Hb S) level is < 20%

Comments

Sickling screening test indicates the presence of Hemoglobin S, but does not differentiate between homozygotes, compound heterozygotes and heterozygotes.



Dr. Anil Arora
MD (Pathology)
Consultant Pathologist



Dr Biswadip Hazarika
MD (Pathology)
Consultant Pathologist

-----End of report -----

