


SEND TO: **QUEST DIAGNOSTICS NI**
Attn: C/S Sample Reports only
33608 ORTEGA HIGHWAY
SAN JUAN CAPISTRANO, CA 92675



Quest Diagnostics Incorporated
 33608 Ortega Hwy., San Juan Capistrano, CA 92675
 CLIENT SERVICES - (800) 553-5445
 Director: Jon Nakamoto, M.D., Ph. D.

PATIENT NAME 90853, Diazepam and Metabo			PATIENT ID NO. NOT GIVEN		DATE NOT GIVEN	TIME NOT GIVEN
ACCESSION NO. 47564360	AGE NG	SEX NG	SAMPLE ID NO. NOT GIVEN	OTHER ID NO. NG	COLLECTED 09/25/2017	09:26
REMARKS			REFERRING PHYSICIAN NG		REPORTED 09/25/2017	17:52
					STATUS DUPLICATE	

TEST	RESULT (* = OUT OF RANGE)	UNITS	REFERENCE RANGE
DIAZEPAM & METABOLITE			
Diazepam	100	ng/mL	
Nordiazepam	280	ng/mL	
Diazepam + Nordiazepam	380	ng/mL	100-1500
Therapeutic range: 100 - 1500 ng/mL Potentially toxic: > 3000 ng/mL			
This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Valencia. It has not been cleared or approved by the US Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.			
This test performed at Quest Diagnostics Valencia Nichols Institute 27027 Tournay Road Valencia, CA 91355-5386 Medical Director: B Kashlan MD, FCAP			