

SEND QUEST DIAGNOSTICS NI
 TO: Attn: C/S Sample Reports only
 33608 ORTEGA HIGHWAY
 SAN JUAN CAPISTRANO, CA 92675



Quest Diagnostics Incorporated
 33608 Ortega Hwy., San Juan Capistrano, CA 92675
 CLIENT SERVICES - (800) 553-5445
 Director: Jon Nakamoto, M.D., Ph. D.

Nichols Institutesm

PATIENT NAME 8352, 17-OH-Pregnenolon			PATIENT ID NO. NOT GIVEN		DATE	TIME
ACCESSION NO. 47652135	AGE NG	SEX NG	SAMPLE ID NO. NOT GIVEN	OTHER ID NO. NG	COLLECTED	NOT GIVEN NOT GIVEN
REMARKS				REFERRING PHYSICIAN NG	RECEIVED	09/28/2017 07:18
					REPORTED	09/28/2017 07:25
					STATUS	DUPLICATE

TEST	RESULT (* = OUT OF RANGE)	UNITS	REFERENCE RANGE
17OH Pregnenolone, LCMSMS		128 ng/dL	
Adult Reference Ranges for 17-Hydroxypregnenolone, LC/MS/MS:			
Males and Premenopausal Females: < OR = 905 ng/dL			
Postmenopausal Females: < OR = 286 ng/dL			
Pediatric Reference Ranges for 17-Hydroxypregnenolone, LC/MS/MS			
1-29 days:	< OR = 3013	ng/dL	
1-11 months:	< OR = 624	ng/dL	
1-5 years:	< OR = 152	ng/dL	
6-9 years:	< OR = 72	ng/dL	
10-13 years:	< OR = 153	ng/dL	
Females 14-17 years:	< OR = 909	ng/dL	
Males 14-17 years:	< OR = 128	ng/dL	

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.