

ALIGN HERE

SEND TO: **QUEST DIAGNOSTICS NI**
Attn: C/S Sample Reports only
33608 ORTEGA HIGHWAY
SAN JUAN CAPISTRANO, CA 92675



Quest Diagnostics Incorporated
 33608 Ortega Hwy., San Juan Capistrano, CA 92675
 CLIENT SERVICES - (800) 553-5445
 Director: Jon Nakamoto, M.D., Ph. D.

PATIENT NAME 619, Lysozyme			PATIENT ID NO. NOT GIVEN		DATE	TIME
ACCESSION NO. 47565695	AGE NG	SEX NG	SAMPLE ID NO. NOT GIVEN	OTHER ID NO. NG	COLLECTED	NOT GIVEN NOT GIVEN
REMARKS				REFERRING PHYSICIAN NG	RECEIVED	09/25/2017 11:28
					REPORTED	09/28/2017 21:24
					STATUS	DUPLICATE

TEST	RESULT (* = OUT OF RANGE)	UNITS	REFERENCE RANGE
Lysozyme (Muramidase)	7.0	mcg/mL	5.0-11.0

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute, Chantilly, VA. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

This test performed at Quest Diagnostics Chantilly
 Nichols Institute
 14225 Newbrook Dr.
 Chantilly, VA 20151-2228
 Medical Director: P W Mason MD, PhD

Dr Lal PathLabs